





TIGGO 8 PRO MAX

5-door SUV
from 2024



	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Gas strut/preloaded spring
	Battery low voltage		High strength zone		Fuel tank		Fuel tank content gasoline / ethanol	/	/
This sheet is applicable for CHERY TIGGO 8 PRO MAX front-wheel drive and 4WD vehicles				ID No.	Version date	Page			
				CL4BFR7EA_001	1/2024	1 of 4			



CHERY TIGGO 8 PRO MAX

5-door SUV
from 2024



1. Identification / recognition



Model name



Brand name

2. Immobilisation / stabilisation / lifting

■ Completely immobilise the vehicle




1st: Press button “P”(park)



2nd: Pull the electric parking brake


■ Stabilisation-lifting point

Crib at four points directly under the front and rear pillars.



□ Suitable lifting points

3. Disable direct hazards / safety regulations



1. Press start and stop button if the vehicle is fitted with a “keyless entry” system.
2. Remove the smart key to turn the vehicle on and off.
3. Disconnect the 12V on-board electrical system battery in the engine compartment using a suitable tool.
Switch off the vehicle electrical system.
Disconnect first the negative terminal (-) then the positive terminal (+) on the on-board battery.

This sheet is applicable for CHERY TIGGO 8 PRO MAX front-wheel drive and 4WD vehicles

ID No.






CL4BFR7EA_001

Version date

1/2024

Page

2 of 4

	TIGGO 8 PRO MAX 5-door SUV from 2024		
4. Access to the occupants			
■ Window Glass Glass types:  1: Laminated glass 2: Tempered glass		■ High strength body areas 	
■ Seat adjustment   ELECTRIC	■ Door latches/command  MANUAL	■ Steering column adjustment  Steering column can be adjusted in four directions	
5. Stored energy / liquids / gases / solids			
		12 V	
		57 L	
		0.55 kg	
6. In case of fire			
		 Use large amount of water Use appropriate protective equipment	
This sheet is applicable for CHERY TIGGO 8 PRO MAX front-wheel drive and 4WD vehicles		ID No. CL4BFR7EA_001	Version date 1/2024
			Page 3 of 4



TIGGO 8 PRO MAX

5-door SUV
from 2024



7. In case of submersion

After recovering the vehicle from the water, drain the water.

Use appropriate protective equipment!

8. Towing / transportation / storage

OK:




1: For front-wheel drive vehicles; 2/3/4: For front-wheel drive and 4WD vehicles:


Not OK:




Location Front Hook



Location Rear Hook



Location Tools



9. Important additional information

/

10. Explanation of pictograms used

	Vehicle on fuel of liquid group 2		Flammable		Environmental hazard		Hazardous to the human health
	Corrosives		Use water to extinguish the fire		Explosive		Air-conditioning component
	Steering wheel, tilt control		General warning sign		Lifting point; central support		Seat adjustment, seat back recline
	Remove smart key		Seat adjustment, longitudinal		Seat height adjustment	/	/

This sheet is applicable for CHERY TIGGO 8 PRO MAX front-wheel drive and 4WD vehicles

ID No.

CL4BFR7EA_001

Version date

1/2024

Page

4 of 4