




CHERY TIGGO 4 PRO

5 door SUV, from 2024



	Airbag		Stored gas inflator		Seat belt pretensioner		Gas strut/preloaded spring
	High strength zone		Low voltage battery		SRS control unit		Fuel tank content gasoline / ethanol
			ID No.	Version date		Page	
			PL4BR5EA001	10/2024		1 of 4	



CHERY TIGGO 4 PRO

5 door SUV, from 2024



1. Identification / recognition



2. Immobilisation / stabilisation / lifting

■ Completely immobilise the vehicle




1st: Press Button "P" (park)

2st: Pull the electric parking brake

■ Stabilisation-lifting point

Crib at four points directly under the front and rear pillars.



■ Appropriate lifting points


■ Suitable stabilisation points on the side

3. Disable direct hazards / safety regulations

Switching off the ignition



Press the "Start-Engine-Stop" button without operating the foot brake.



Remove vehicle key, key card and/or smartphone app so that they are more than 5 m away from the vehicle if possible.



No engine noise does not mean the vehicle has been turned off.

Disconnecting the 12-volt vehicle battery



Switch off the vehicle electrical system, Locate the 12-volt vehicle battery
Disconnect the negative terminal (-)



	ID No.	Version date	Page
-	PL4BR5EA001	10/2024	2 of 4



CHERY TIGGO 4 PRO

5 door SUV, from 2024




4. Access to the occupants

■ Window Glass

①- Laminated glass



②- Tempered glass




■ High strength body areas



■ Seat adjustment




POWER



MANUAL (2:Optional)

■ Steering column adjustment



Steering column can be tilted adjustment and telescopic adjustment.

■ Door latches/command



5. Stored energy / liquids / gases / solids



12 V



51 L



0.55 Kg (Type:R134A)

6. In case of fire




USE LARGE AMOUNTS OF WATER



Use large amount of water

Use appropriate protective equipment



	ID No.	Version date	Page
	PL4BR5EA001	10/2024	3 of 4



CHERY TIGGO 4 PRO

5 door SUV, from 2024




7. In case of submersion

After recovering the vehicle from the water, drain the water.

Use appropriate protective equipment!

8. Towing / transportation / storage



OK:




1: For front-wheel drive vehicles;

2/3/4: For front-wheel drive and 4WD vehicles:


Not OK:



Location Front Hook



Location Rear Hook



Location Tools

9. Important additional information

/

10. Explanation of pictograms used

	Coolants		Flammable		Environmental hazard		Hazardous to the human health
	Corrosives		Use water to extinguish the fire		Acute toxicity		General warning sign
	Bonnet		Use thermal Infrared camera		Steering wheel, tilt control		Seat adjustment, seat back recline
	Seat adjustment, longitudinal		Seat height adjustment	-			
-			ID No.	Version date	Page		
-			PL4BR5EA001	10/2024	4 of 4		