

# ANCAP Safety Rating

## SUZUKI VITARA (2015 – December 2022)



Suzuki Vitara

### This ANCAP safety rating applies to:

|              |                      |
|--------------|----------------------|
| Make / Model | Suzuki Vitara        |
| Year Range   | 2015 – December 2022 |
| Variant(s)*  | All variants         |
| Vehicle Type | Compact SUV          |

The tested model of Suzuki Vitara was introduced in Australia and New Zealand in mid-2015. This ANCAP safety rating applies to all variants including Turbo variants.

Dual frontal, side chest, side head-protecting (curtain) airbags and a driver knee airbag are standard. Advanced seat belt reminders are fitted to all seats. A full list of safety features and technologies can be viewed within the *Safety Features & Technologies* table on page 2 of this report.

### Injury Outcomes.

#### Frontal Offset

Driver



Passenger



#### Side Impact & Pole<sup>#</sup>

Driver



#### Whiplash Protection

Driver



|            |
|------------|
| GOOD       |
| ACCEPTABLE |
| MARGINAL   |
| POOR       |

<sup>#</sup> Head protection only.

### Test Results Summary.

|                          |                                |
|--------------------------|--------------------------------|
| Airbags                  | Dual Frontal, Side, Head, Knee |
| Frontal Offset Test      | 14.79 (out of 16)              |
| Side Impact Test         | 16.00 (out of 16)              |
| Pole Test                | 2.00 (out of 2)                |
| Whiplash Protection      | Good                           |
| Pedestrian Protection    | Good                           |
| ESC                      | Standard                       |
| Seat Belt Reminders      | 3.00 (out of 3)                |
| Overall Score            | 35.79 (out of 37)              |
| ANCAP Safety Rating      | ★★★★★                          |
| Rating Year <sup>^</sup> | 2015                           |

### Occupant Protection.

#### Frontal Offset Test

Each body region is scored out of 4 points

|              |             |
|--------------|-------------|
| Head / neck: | 4.00 points |
| Chest:       | 3.15 points |
| Upper legs:  | 4.00 points |
| Lower legs:  | 3.64 points |

The passenger compartment held its shape well in the frontal offset test. Pedal and steering wheel displacements were well controlled. Driver and passenger contact with the airbags was stable. All doors remained closed during the crash. After the crash all doors could be opened with normal effort.

#### Side Impact Test

Each body region is scored out of 4 points

|          |             |
|----------|-------------|
| Head:    | 4.00 points |
| Chest:   | 4.00 points |
| Abdomen: | 4.00 points |
| Pelvis:  | 4.00 points |

Good protection was provided for the driver in the side impact test.

#### Pole Test

Scored out of 2 points

|        |             |
|--------|-------------|
| Score: | 2.00 points |
|--------|-------------|

The vehicle was eligible for a side pole test because it has side curtain airbags. The vehicle scored the maximum 2 points for head protection in this test.

#### Whiplash Protection Test

Whiplash protection is assessed to the RCAR Protocol

|                          |      |
|--------------------------|------|
| Geometric test:          | Good |
| Dynamic test:            | Good |
| Overall whiplash rating: | Good |

# ANCAP Safety Rating

## SUZUKI VITARA (2015 – December 2022)



### Pedestrian Protection.


#### Pedestrian Test

Scored out of 36 points

Adult & child head impacts: 18.48 points  
Upper leg impacts: 4.12 points  
Lower leg impacts: 6.00 points

This vehicle scored 28.60 out of 36 points (Good). Most locations provided good protection for a struck pedestrian. Some locations at the base of the windscreen pillar and around the headlights performed poorly. (v8.3)

#### Child and adult head impact



#### Adult leg impact (upper and full legforms)



### Score Deductions.

#### Deductions from frontal offset test scores

Head / neck: No deductions  
Chest: No deductions  
Upper legs: No deductions  
Lower legs: No deductions

#### Deductions from side impact test score

Head / neck: No deductions  
Chest: No deductions  
Abdomen: No deductions  
Pelvis: No deductions

#### Deductions from pole test score

Head: No deductions

### Safety Features & Technologies.

Descriptions of each of these safety features and safety assist technologies (SAT) and detail on fitting requirements for each star rating level can be found at [ancap.com.au](http://ancap.com.au).

| Safety Feature / Safety Assist Technology                       | Availability |
|-----------------------------------------------------------------|--------------|
| Seat belts (three-point, lap/sash) for all forward-facing seats | S            |
| Seat belt pretensioners (front)                                 | S            |
| Seat belt pretensioners (rear outboard)                         | X            |
| Intelligent seat belt reminder (driver)                         | S            |
| Intelligent seat belt reminder (front passenger)                | S            |
| Intelligent seat belt reminder (2 <sup>nd</sup> row seats)      | S            |
| Airbag - Frontal (driver)                                       | S            |
| Airbag - Frontal (passenger)                                    | S            |
| Airbag - Side, chest protection (front seats)                   | S            |
| Airbag - Side, chest protection (2 <sup>nd</sup> row seats)     | X            |
| Airbag - Side, head protection (front seats)                    | S            |
| Airbag - Side, head protection (2 <sup>nd</sup> row seats)      | S            |
| Airbag - Knee (driver)                                          | S            |
| Airbag - Knee (front passenger)                                 | X            |
| Head restraints for all seats                                   | S            |
| Adaptive cruise control (ACC)                                   | X (V*)       |
| Antilock braking system (ABS)                                   | S            |
| Autonomous emergency braking (AEB)                              |              |
| - City                                                          | X (V*)       |
| - Interurban                                                    | X (V*)       |
| - Vulnerable road user                                          | X (V*)       |
| Automatic headlights                                            | V            |
| Automatic high beam                                             | X (V*)       |
| Blind spot monitoring (BSM)                                     | X (V*)       |
| Electronic brakeforce distribution (EBD)                        | S            |
| Electronic stability control (ESC)                              | S            |
| Emergency brake assist (EBA)                                    | S            |
| Lane support system (LSS)                                       | X (V*)       |
| Daytime running lights (DRL)                                    | S            |
| Hill launch assist (auto only)                                  | V            |
| Rain-sensing wipers                                             | V            |
| Reversing collision avoidance                                   | S            |
| Speed assistance - automatic/intelligent speed limiting (ISA)   | X            |
| Speed assistance - manual speed limiter & alarm                 | S            |
| Speed assistance - speed sign recognition & warning             | X            |
| Tyre pressure monitoring system (TPMS)                          | X            |

S = Standard on all variants.

O = Optional on base variant. May be standard on higher variants.

V = Not available on base variant but standard or optional on higher variants.

X = Not available on any variant.

\* = Available on models built from December 2018.

These specifications are subject to change. Please check with the manufacturer for the latest specifications.

# ANCAP Safety Rating

## SUZUKI VITARA (2015 – December 2022)



### Injury Values & Measurements.

| Body Region                    | Frontal offset test at 64 km/h<br>(v5.1) |             | Side impact test at 50 km/h<br>(v5.1) |
|--------------------------------|------------------------------------------|-------------|---------------------------------------|
|                                | Driver                                   | Passenger   | Driver                                |
| <b>Head</b>                    |                                          |             |                                       |
| HIC                            | 260.00                                   | 225.00      | 47.00                                 |
| Acceleration (g for 3ms)       | 40.30                                    | 37.20       | 19.50                                 |
| <b>Neck</b>                    |                                          |             |                                       |
| Shear (kN)                     | 0.47                                     | 0.65        | -                                     |
| Tension (kN)                   | 1.71                                     | 0.74        | -                                     |
| Extension (Nm)                 | 18.80                                    | 6.80        | -                                     |
| <b>Chest</b>                   |                                          |             |                                       |
| Acceleration (g for 3ms)       | -                                        | -           | -                                     |
| Compression (mm)               | 27.97                                    | 21.60       | 13.60                                 |
| Viscous criterion (m/s)        | 0.10                                     | 0.10        | 0.06                                  |
| <b>Abdomen</b>                 |                                          |             |                                       |
| Force (kN)                     | -                                        | -           | 0.48                                  |
| <b>Pelvis</b>                  |                                          |             |                                       |
| Force (kN)                     | -                                        | -           | 2.28                                  |
| <b>Upper legs</b>              |                                          |             |                                       |
| Femur force left (kN)          | 1.16                                     | 0.17        |                                       |
| Femur force right (kN)         | 1.35                                     | 1.00        |                                       |
| Knee displacement left (mm)    | 0.78                                     | 0.26        |                                       |
| Knee displacement right (mm)   | 1.05                                     | 3.41        |                                       |
| <b>Lower legs</b>              |                                          |             |                                       |
| Force left (kN)                | 2.54                                     | 1.52        |                                       |
| Force right (kN)               | 2.03                                     | 1.57        |                                       |
| Index (upper / lower) left     | 0.27 / 0.43                              | 0.36 / 0.13 |                                       |
| Index (upper / lower) right    | 0.35 / 0.30                              | 0.23 / 0.24 |                                       |
| <b>Intrusion Measurements*</b> |                                          |             |                                       |
| <b>Steering column</b>         |                                          |             |                                       |
| Forward (mm)                   | 24                                       |             |                                       |
| Upward (mm)                    | 6                                        |             |                                       |
| Sideways (mm)                  | 17                                       |             |                                       |
| <b>Pedals</b>                  |                                          |             |                                       |
| Clutch - rearward (mm)         | 67                                       |             |                                       |
| Clutch - upward (mm)           | 45                                       |             |                                       |
| <b>A-Pillar</b>                |                                          |             |                                       |
| Rearward (mm)                  | 6                                        |             |                                       |

\* Steering column and pedal movements are measured relative to the driver's seat.

\* **Model Variants:** ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on extending a rating to additional variants of a model. For further information about the application of ANCAP safety ratings to model variants, see the ANCAP Variant Policy.

^ **Rating Year:** The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and may be based on the year in which a new vehicle model is first launched into the Australian and/or New Zealand markets; the year in which the vehicle was tested (if tested by Euro NCAP); or, for vehicles which hold an existing ANCAP safety rating, the year in which the rating was updated (or earlier applicable year).

### Assessment Details.

|                            |                    |
|----------------------------|--------------------|
| Tested Make / Model        | Suzuki Vitara RT-S |
| Tested Vehicle(s) Built    | 2016               |
| Tested Body Type           | Wagon              |
| Tested Vehicle Kerb Weight | 1120 kg            |
| Tested Vehicle Engine      | 1.6 litre petrol   |
| Tested By                  | ANCAP              |
| Assessed By                | ANCAP              |
| Document Reference         | VITARA15           |
| Document Created / Revised | 12 July 2016       |
| Rating Published           | July 2016          |
| Rating Updated             | January 2019       |



Frontal offset test at 64km/h