





Jeep Avenger

5 doors/ 5 seats/ SUV
(2023/ ->)



Note: The Rescue Sheet depicts a LHD vehicle (as allowed under the ISO 17840-1). All components (other than steering wheel and passenger airbag) are located in the same position in the Aust/NZ RHD model.



	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		
			Gas strut / Preloaded spring		High strength zone				
	Battery low voltage								
	Battery pack, high-voltage		High voltage power cable						
	Cable cut		Low voltage device that disconnects high voltage						

1. Identification / recognition




LACK OF ENGINE NOISE DOES NOT MEAN VEHICLE IS OFF, SILENT MOVEMENT OR INSTANT RESTART CAPABILITY EXISTS UNTIL VEHICLE IS FULLY SHUT DOWN. WEAR APROPRIATE PPE.



2. Immobilisation / stabilisation / lifting

Immobility


Stabilization/lifting points



Do not place cribbing such as wooden blocks or rescue air lifting bags under the fuel system or high voltage power cables. Doing so may result in fuel leaks, fire, or electric shock.

3. Disable direct hazards / safety regulations

Main disabling method





4. Access to the occupants


Glass types




Toughened glass

Laminated glass


High strength steel body



Seat adjustment



Steering column adjustment



5. Stored energy / liquids / gases / solids

	12V	
	400V	
	0,9L	



when coolant leaks from the battery pack, it can become unstable with risk of thermal runaway. Check battery pack temperature with thermal imaging camera.



6. In case of fire



Use large amount of water



RE-IGNITION POSSIBLE !



Lithium-ion batteries may self-ignite or reignite once the fire has been extinguished. Monitor the temperature of the high-voltage battery!

7. In case of submersion

3. Disable direct hazards / safety regulations

8. Towing / transportation / storage

Location front hook



Location rear hook




STORE AT SAFE DISTANCE FROM OTHER VEHICLES !

OK:



NOK:



RE-IGNITION POSSIBLE !

9. Important additional information

-

10. Explanation of pictograms used

	Remove smart key		Flammable
	General warning sign		Hazardous to the human health
	Warning; low temperature		Acute toxicity
	Warning, Electricity		Explosive
	Air-conditioning component		Corrosives
	Electric Vehicle		Use water to extinguish the fire
	Use thermal Infrared camera		Bonnet