



MERCEDES-BENZ A-CLASS

AUGUST 2018 - DECEMBER 2024
ALL PETROL VARIANTS



TESTED
2018



MERCEDES-BENZ A-CLASS

OVERVIEW

The Mercedes-Benz A-Class was introduced in Australia and New Zealand in August 2018. This ANCAP safety rating applies to all petrol variants. PHEV variants are unrated.

Dual frontal airbags, side chest-protecting airbags for both the front and rear occupants, side head-protecting airbags (curtains) and a driver knee airbag are standard. All three grades of autonomous emergency braking (City, Interurban and Vulnerable Road User) as well as lane keep assist (LKA) with lane departure warning (LDW) and an advanced speed assistance system (SAS) are fitted as standard equipment on all variants.

NOTE: Mercedes-Benz have advised that some safety features included in the originally-rated model are not fitted to models built between December 2020 and November 2022. Removal of these features does not affect the ANCAP safety rating. See the *Safety Features & Technologies* table on page 8.

ANCAP SAFETY RATING



RATING YEAR (DATESTAMP)

2018

VEHICLE TYPE

Small Car

AIRBAGS

Dual frontal, side chest (front & rear), side head, driver knee

RATING APPLICABILITY

VARIANT	BODY TYPE	ENGINE	DRIVETRAIN	AUS	NZ
Mercedes-Benz A180	5 door hatch	1.3 litre petrol	2WD	✓	✓
Mercedes-Benz A200	5 door hatch	1.3 litre petrol	2WD	✓	✓
Mercedes-Benz A250	5 door hatch	2.0 litre petrol	2WD	✓	✓
Mercedes-Benz A250 4M	5 door hatch	2.0 litre petrol	AWD	✓	✓
Mercedes-Benz A180	5 door sedan	1.3 litre petrol	2WD	✓	✓
Mercedes-Benz A200	5 door sedan	1.3 litre petrol	2WD	✓	✓
Mercedes-Benz A250 4MATIC	5 door hatch	2.0 litre petrol	AWD	✓	✓
Mercedes-Benz A250 4MATIC	5 door sedan	2.0 litre petrol	AWD	✓	✓
Mercedes-Benz A250e	5 door sedan	1.3 litre petrol PHEV	2WD	✗	✗

✓ COVERED BY THIS RATING ✗ NOT COVERED BY THIS RATING ◆ TESTED VARIANT

ADULT OCCUPANT PROTECTION



96%

36.51 POINTS
OUT OF 38

The passenger compartment remained stable in the frontal offset test. Dummy readings indicated ADEQUATE protection for the driver's chest and the lower legs of both the driver and front passenger. Protection for all other critical body regions was GOOD. In the full width frontal test, protection was ADEQUATE for the neck and chest of the rear passenger and the chest of the driver, while GOOD protection was offered for all other critical body regions.

In the side impact test, protection offered to all critical body regions was GOOD. In the oblique pole test, protection was ACCEPTABLE for the chest of the driver and GOOD for all other critical body regions.

The low-speed autonomous emergency braking system (AEB City) showed GOOD performance across all test scenarios.

FRONTAL OFFSET#	7.11 (out of 8)
FULL WIDTH FRONTAL#	7.81 (out of 8)
SIDE IMPACT#	8.00 (out of 8)
OBLIQUE POLE#	7.88 (out of 8)
WHIPLASH PROTECTION	1.72 (out of 2)
AEB - City	4.00 (out of 4)

Scaled scores. Total test scored out of 16.00 points.

FRONTAL OFFSET TEST (64 KM/H)



Driver

Head / neck:	4.00 points
Chest:	3.01 points
Upper legs:	4.00 points
Lower legs:	3.22 points
Deductions:	Nil



Front Passenger

Head / neck:	4.00 points
Chest:	4.00 points
Upper legs:	4.00 points
Lower legs:	3.20 points
Deductions:	Nil

FULL WIDTH FRONTAL TEST (50 KM/H)



Driver

Head:	4.00 points
Neck:	4.00 points
Chest:	3.99 points
Upper legs:	4.00 points
Deductions:	Nil



Rear Passenger

Head:	4.00 points
Neck:	3.71 points
Chest:	3.53 points
Upper legs:	4.00 points
Deductions:	Nil

SIDE IMPACT TEST (50 KM/H)



Driver

Head:	4.00 points
Chest:	4.00 points
Abdomen:	4.00 points
Pelvis:	4.00 points
Deductions:	Nil



Driver

Head:	4.00 points
Chest:	3.76 points
Abdomen:	4.00 points
Pelvis:	4.00 points
Deductions:	Nil

OBLIQUE POLE TEST (32 KM/H)

WHIPLASH (REAR IMPACT) PROTECTION TEST



Rear Passenger

Rear:	0.50 points
Front:	1.22 points



Driver / Front Passenger

AEB - CITY (10-50 KM/H)

Score: 4.00 points

OVERLAP	-50%	-75%	100%	75%	50%
PERFORMANCE					
	GOOD				

GOOD ADEQUATE MARGINAL WEAK POOR

CHILD OCCUPANT PROTECTION



91%

44.98 POINTS
OUT OF 49

In the frontal offset test, protection of the neck of the 6 year old dummy was ADEQUATE, while the protection offered to all other critical body regions was GOOD. Protection of both child dummies in the side impact test was GOOD with maximum points scored.

The Mercedes-Benz A-Class is fitted with lower ISOFix anchorages for the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed that all of the selected child restraints could be accommodated in each of the rear seating positions and full points were scored for this assessment.

DYNAMIC TEST (FRONT)	15.98 (out of 16)
DYNAMIC TEST (SIDE)	8.00 (out of 8)
RESTRAINT INSTALLATION	12.00 (out of 12)
ON-BOARD SAFETY FEATURES	9.00 (out of 13)

FRONTAL OFFSET TEST (64 KM/H)

SIDE IMPACT TEST (50 KM/H)



6 year old

10 year old



10 year old

6 year old

ON-BOARD SAFETY FEATURES

FEATURE	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix	-	●	×	-	-
Integrated child restraints	-	×	×	-	-
Top tether anchorage	-	●	●	-	-
Airbag disabling	●	-	-	-	-

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION × NOT AVAILABLE - NOT APPLICABLE

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. For more detailed information about Australian child restraints visit www.childcarseats.com.au.

GOOD ADEQUATE MARGINAL WEAK POOR

CHILD OCCUPANT PROTECTION



91%

44.98 POINTS
OUT OF 49

CHILD RESTRAINT INSTALLATION*

CHILD RESTRAINT (CRS) TYPE^		FRONT ROW PASSENGER	2nd ROW			3rd ROW		
			LEFT	CENTRE	RIGHT	LEFT	CENTRE	RIGHT
BELTED	TYPE A	Rearward facing capsule	×	●	●	●	–	–
		Rearward facing with harness - convertible (Model A)	×	●	●	●	–	–
		Rearward facing with harness - convertible (Model B)	×	●	●	●	–	–
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	●	●	–	–
		Forward facing with harness - convertible (Model B)	×	●	●	●	–	–
	TYPE E	Booster - 4 to 8 years	×	●	●	●	–	–
ISOFIX	TYPE F	Booster - 4 to 10 years	×	●	●	●	–	–
	TYPE A	Rearward facing capsule	×	●	–	●	–	–
		Rearward facing with harness - convertible (Model A)	×	●	–	●	–	–
		Rearward facing with harness - convertible (Model B)	×	●	–	●	–	–
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	–	●	–	–
		Forward facing with harness - convertible (Model B)	×	●	–	●	–	–

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

^ The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.

● INSTALL WITHOUT PROBLEM ● INSTALL WITH CARE ● CANNOT BE FITTED SAFELY × INSTALLATION NOT ALLOWED – NOT APPLICABLE

NOTE: The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.

The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.

The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. For more detailed information about Australian child restraints visit www.childcarseats.com.au.

VULNERABLE ROAD USER PROTECTION



92%

44.23 POINTS
OUT OF 48

The Mercedes-Benz A-Class has an 'active' bonnet. Sensors detect when a pedestrian is struck and actuators lift the bonnet to provide greater clearance from stiff components in the engine bay. The vehicle was tested with the bonnet in the raised position and GOOD or ADEQUATE results were recorded over most of the bonnet area with some WEAK and POOR results recorded at the base of the windscreen and on the windscreen pillars. The front edge of the bonnet and the bumper showed a GOOD level of protection in all areas tested.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users including pedestrians and cyclists. The AEB system offered GOOD performance in tests of its effectiveness in pedestrian test scenarios under both daylight and night-time conditions. GOOD performance was also seen in cyclist test scenarios with collisions avoided or mitigated at all test speeds.


HEAD IMPACTS	20.39 (out of 24)
UPPER LEG IMPACTS	6.00 (out of 6)
LOWER LEG IMPACTS	6.00 (out of 6)
AEB - Pedestrian	5.83 (out of 6)
AEB - Cyclist	6.00 (out of 6)

PEDESTRIAN IMPACT TEST (40 KM/H)



AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN & CYCLIST)

SYSTEM NAME:	Active Brake Assist
TYPE:	Autonomous emergency braking with forward collision warning
OPERATIONAL FROM:	7-50 km/h
DESCRIPTION:	Defaults ON for every journey. System detects pedestrians and cyclists and functions in both day and night.

TEST SCENARIO	AEB - Pedestrian										AEB - Cyclist							
	Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)	Adult walking along road		FORWARD COLLISION WARNING Adult walking along road		Cyclist crossing from kerb	Cyclist travelling along road (50%)	FORWARD COLLISION WARNING Cyclist travelling along road (25%)				
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	DAY	DAY			
																		
	GOOD		GOOD		GOOD		GOOD		GOOD		GOOD		GOOD		GOOD		GOOD	
PERFORMANCE	GOOD																	



GOOD



ADEQUATE



MARGINAL



WEAK



POOR

SAFETY ASSIST



73%

9.61 POINTS
OUT OF 13

The Mercedes-Benz A-Class is fitted as standard with a range of safety assist features including autonomous emergency braking (AEB) and a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality.

Tests of the AEB system showed GOOD performance in highway speed scenarios, while LSS testing showed ADEQUATE results.

A standard-fit speed assistance system (SAS) is also standard. This system identifies the local speed limit and allows the driver to set the speed accordingly.

A seat belt reminder system is fitted to all seats.

SPEED ASSISTANCE SYSTEMS

2.50 (out of 3)

SEAT BELT REMINDERS

2.50 (out of 3)

LANE SUPPORT SYSTEMS

2.25 (out of 4)

AEB - Interurban

2.36 (out of 3)

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Active Lane Keeping Assist
OPERATIONAL FROM: 0-250 km/h

EMERGENCY LANE KEEPING (ELK)							
TEST SCENARIO	Oncoming vehicle	Overtaking vehicle (GVT at 72 km/h)		Overtaking vehicle (GVT at 80 km/h)		Road edge	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL		
PERFORMANCE	GOOD	-	-	-	-	-	GOOD
ADEQUATE							

LANE KEEP ASSIST (LKA)									
TEST SCENARIO	Dashed Line				Solid Line				Road Edge
PERFORMANCE					GOOD	GOOD	GOOD	GOOD	
MARGINAL									

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Lane Departure Warning (LDW)	PASS
	Blind Spot Monitoring (BSM)	PASS



GOOD



ADEQUATE



MARGINAL



WEAK



POOR

SAFETY ASSIST






73%

9.61 POINTS
OUT OF 13

AUTONOMOUS EMERGENCY BRAKING (INTERURBAN)

SYSTEM NAME: Active Brake Assist
TYPE: Autonomous emergency braking with forward collision warning
OPERATIONAL FROM: 7-200 km/h
DESCRIPTION: Defaults ON for every journey.

HUMAN MACHINE INTERFACE (HMI)										
FUNCTION	Supplementary warning					[NOT FITTED]				
	Restraint activation / dynamic retractors					[NOT FITTED]				
FORWARD COLLISION WARNING (FCW)										
TEST SCENARIO	Driving towards a stationary car					Driving towards a slower moving car				
										
PERFORMANCE										
GOOD										
AUTONOMOUS EMERGENCY BRAKING - Interurban										
TEST SCENARIO	Toward car braking lightly		Toward car braking heavily		Driving towards a slower moving car					
	12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY						
										
PERFORMANCE										
GOOD										

SPEED ASSISTANCE SYSTEMS (SAS)

SYSTEM NAME: Traffic Sign Assist

SAS FEATURE	DESCRIPTION
Speed Limit Information Function (SLIF)	Camera based
Speed Limitation Function	System advised

SEAT BELT REMINDERS (SBR)

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	✗
Visual	●	●	●
Audible	●	●	●

● PASS ● FAIL ✗ NOT AVAILABLE - NOT APPLICABLE

GOOD ADEQUATE MARGINAL WEAK POOR

SAFETY FEATURES & TECHNOLOGIES

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Seat belts (three-point) for all forward-facing seats	●	●
Seat belt pre-tensioners (front)	●	●
Seat belt pre-tensioners (rear outboard)	●	●
Seat belt pre-tensioners (rear centre)	✗	✗
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	–	–
Airbag - frontal (driver)	●	●
Airbag - frontal (passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	●	●
Airbags - side, chest protection (3rd row seats)	–	–
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	–	–
Airbag - knee (driver)	●	●
Airbag - knee (front passenger)	✗	✗
Airbag disabling switch - automatic (front passenger)	●	●
Airbag disabling switch - manual (front passenger)	✗	✗
Head restraints for all seats	●	●
Active bonnet	●	●
Adaptive cruise control (ACC)	○/●#	○/●#
Adaptive headlights	○/●#	○/●#
Anti-lock braking system (ABS)	●	●
Autonomous emergency braking (AEB) - City	●	●
Autonomous emergency braking (AEB) - Interurban	●	●
Autonomous emergency braking (AEB) - VRU	●	●
Automatic emergency call (eCall)	✗	✗
Automatic headlights	●	●
Automatic high beam	○/●#	○/●#

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Blind spot monitor (BSM)	●	●
Child presence alert	✗	✗
Daytime running lights (DRL)	●	●
Electronic brakeforce distribution (EBD)	●	●
Electronic data recorder (EDR)	✗	✗
Electronic stability control (ESC)	●	●
Emergency brake assist (EBA)	●	●
Emergency stop signal (ESS)	●	●
Fatigue reminder	●	●
Fatigue detection	●	●
Forward collision warning (FCW)	●	●
Hill launch assist	●	●
Integrated child seat / restraint	✗	✗
ISOFix	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)	●	●
Pre-crash systems	●/✗*	●/✗*
Rear cross-traffic alert (RCTA)	✗	✗
Reversing collision avoidance (camera)	●	●
Reversing collision avoidance (auto brake)	✗	✗
Roll stability system	✗	✗
Secondary / multi-collision brake	●/✗*	●/✗*
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	●	●
Speed assistance - speed sign recognition & warning	●	●
Smart (intelligent) key	✗	✗
Trailer stability control	✗	✗
Tyre pressure monitoring system (TPMS)	●	●
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

~ Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.

* Not fitted to vehicles built between December 2020 - November 2022

Standard on vehicles built from December 2022.

● STANDARD ● NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS ○ OPTIONAL ✗ NOT AVAILABLE

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

ASSESSMENT DETAILS

TESTED MAKE / MODEL
TESTED VEHICLE(S) BUILT
TESTED BODY TYPE
TESTED VEHICLE ENGINE
RATING PUBLISHED
RATING UPDATED

Mercedes-Benz A-Class A180d LHD
2018
5 door hatch
1.8 litre diesel
October 2018
September 2023