






LDV MIFA
MPV, 5 Doors
2022-



	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Gas strut/Preloaded spring
	High strength zone		Zone requiring special attention		Battery low voltage		Fuel tank		
		ID No.		Version No.		Version date		Page	
		LSK-MIFA-ICE-A001		01		06/2022		1 of 4	

1. Identification / recognition




2. Immobilisation / stabilisation / lifting

■ A - Immobilisation / stabilisation



- 1 Secure the vehicle using P gear and parking brake
Just press the button once, P gear and parking brake work at the same time
- 2 Click the "power off" button on the screen


■ B - Lifting



■ Suitable lifting points

3. Disable direct hazards / safety regulations

■ Turn off - main method for disable direct hazards




• Just press the button once, The vehicle will be in P

• Click the "power off" button on the screen

• Disconnect 12 Volt battery


■ Emergency shutdown - alternative method for disable direct hazards



• Press the Hazard warning lamp switch 5 times in 3 seconds

• Disconnect 12 Volt battery

■ Access to 12V Battery



• Pull the switch twice to open the hood

• Disconnect 12 Volt battery

	ID No.	Version No.	Version date	Page
	LSK-MIFA-ICE-E001	01	06/2022	2 of 4


4. Access to the occupants

A Laminated glass


B Tempered glass



High strength body areas



Seat adjustment



Steering column adjustment



5. Stored energy / liquids / gases / solids

■ Fuel Tank

70L

70L

■ Battery



12V

6. In case of fire




USE LARGE AMOUNTS OF WATER



■ Gas Strut



-Risk of missile effect of hood



ID No.

LSK-MIFA-ICE-E001

Version No.

01



Version date

06/2022

Page



3 of 4

8. Towing / transportation / storage



9. Important additional information

■ Centre airbag



10. Explanation of pictograms used

Smart key distance	Bonnet	Diesel fuel	Petrol fuel	Extinguish fire with water
Inflammable	Risk of explosion	Corrosive	Danger to health	Risk of acute toxicity
Device to shut down power in vehicle	Boot			
	ID No.	Version No.	Version date	Page
	LSK-MIFA-ICE-E001	01	06/2022	4 of 4