

LAND ROVER RANGE ROVER SPORT

NOVEMBER 2022 - ONWARDS

ALL VARIANTS



ANCAP

SAFETY

TESTED
2022



RATING YEAR	2022
VEHICLE TYPE	Large SUV
ENGINE TYPE	Petrol / Diesel / PHEV
BUILT FROM	May 2022
ON SALE FROM	November 2022
SERIES	L461
AIRBAGS	Dual frontal, side chest, side head



The Land Rover Range Rover Sport was introduced in Australia and New Zealand in November 2022. The ANCAP safety rating for the Range Rover Sport is based on testing of its partner model, the Land Rover Range Rover. Additional frontal offset (MPDB) and oblique pole tests were conducted on the Range Rover Sport (PHEV) to confirm the results. This ANCAP safety rating applies to all variants.

Dual frontal, side chest-protecting and side head-protecting airbags are standard. A centre airbag to prevent occupant-to-occupant interaction is not available.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User and Junction Assist) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) are standard on all variants.



85%

ADULT OCCUPANT
PROTECTION



86%

CHILD OCCUPANT
PROTECTION



69%

VULNERABLE ROAD USER
PROTECTION



84%

SAFETY
ASSIST

RATING APPLICABILITY

VARIANT	BODY TYPE	ENGINE	DRIVETRAIN	AUS	NZ
Land Rover Range Rover Sport D250	5 door SUV	3.0 litre diesel	4WD	✓	-
Land Rover Range Rover Sport D300	5 door SUV	3.0 litre diesel	4WD	✓	✓
Land Rover Range Rover Sport D350	5 door SUV	3.0 litre diesel	4WD	✓	✓
Land Rover Range Rover Sport P360	5 door SUV	3.0 litre petrol	4WD	✓	-
Land Rover Range Rover Sport P400	5 door SUV	3.0 litre petrol	4WD	✓	✓
Land Rover Range Rover Sport 440 PHEV	5 door SUV	3.0 litre petrol PHEV	4WD	-	✓
Land Rover Range Rover Sport 510 PHEV	5 door SUV	3.0 litre petrol PHEV	4WD	✓	✓
Land Rover Range Rover Sport P530	5 door SUV	4.4 litre V8	4WD	✓	✓

ADULT OCCUPANT PROTECTION



85%

32.44 POINTS
OUT OF 38

The passenger compartment remained stable in the frontal offset (MPDB) test. Dummy readings indicated ADEQUATE protection of the driver's chest and lower legs. Structures in the dashboard were a potential source of injury for the driver and front passenger and protection of the upper legs were rated MARGINAL. Protection was GOOD for all other critical body regions.

The front structure of the Land Rover Range Rover Sport presented a higher risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 4.00 point penalty was applied.

In the full width frontal test, chest protection of the driver was ADEQUATE and for the rear passenger was MARGINAL, with GOOD protection of all other critical body areas.

In the side impact and oblique pole tests, protection offered to all critical body regions was GOOD and the Range Rover Sport scored maximum points in these tests.

A centre airbag or other countermeasure to prevent contact between the heads of front seat occupants in side impacts is not available on the Range Rover Sport. Tests to measure potential injury risk in far side impacts were therefore not conducted. Prevention of excursion (movement towards the other side of the vehicle) in the far side impact tests was assessed as GOOD for the vehicle-to-vehicle impact scenario, and ADEQUATE in the vehicle-to-pole scenario.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted.

FRONTAL OFFSET (MPDB)[#]	4.54	(out of 8)
FULL WIDTH FRONTAL[#]	7.20	(out of 8)
SIDE IMPACT[#]	6.00	(out of 6)
OBLIQUE POLE[#]	6.00	(out of 6)
WHIPLASH PROTECTION	3.80	(out of 4)
FAR SIDE IMPACT	2.91	(out of 4)
RESCUE & EXTRICATION	2.00	(out of 2)

[#] Scaled scores. Total test scored out of 16.00 points.

FRONTAL OFFSET (MPDB) (50km/h)



DRIVER

Head / neck:	4.00 pts
Chest:	3.30 pts
Upper legs:	2.00 pts
Lower legs:	3.78 pts
Deductions:	-1.00pts (variable contact) -1.00pts (concentrated load)

FRONT PASSENGER

Head / neck:	4.00 pts
Chest:	4.00 pts
Upper legs:	2.00 pts
Lower legs:	4.00 pts
Deductions:	-1.00pts (variable contact) -1.00pts (concentrated load)

COMPATIBILITY

Deductions:	-4.00 pts
-------------	-----------

FULL WIDTH FRONTAL (50km/h)




DRIVER

Head:	4.00 pts
Neck:	4.00 pts
Chest:	3.19 pts
Upper legs:	4.00 pts
Deductions:	Nil

REAR PASSENGER

Head:	4.00 pts
Neck:	4.00 pts
Chest:	1.61 pts
Upper legs:	4.00 pts
Deductions:	Nil

SIDE IMPACT OBLIQUE POLE



SIDE IMPACT (MDB) (60km/h)

Head:	4.00 pts
Chest:	4.00 pts
Abdomen:	4.00 pts
Pelvis:	4.00 pts
Deductions:	Nil

OBLIQUE POLE (32km/h)

Head:	4.00 pts
Chest:	4.00 pts
Abdomen:	4.00 pts
Pelvis:	4.00 pts
Deductions:	Nil

FAR SIDE IMPACT



SIDE IMPACT (MDB)

Head:	4.00 pts
Neck:	4.00 pts
Chest & Abdomen:	4.00 pts
Pelvis:	No penalty

OBLIQUE POLE

Head:	2.00 pts
Neck:	1.43 pts
Chest & Abdomen:	2.00 pts
Pelvis:	No penalty

OCCUPANT-TO-OCCUPANT

Head contact: [NOT ASSESSED]

RESCUE & EXTRICATION

Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	1.00 pt default

WHIPLASH (REAR IMPACT) PROTECTION



Driver / front passenger:	2.80 pts
Rear passenger:	1.00 pts



86%

42.60 POINTS
OUT OF 49

In the frontal offset and side impact tests, protection of the 10 year and 6 year dummies was GOOD and maximum points were scored in these tests.

The Land Rover Range Rover Sport is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed most child restraints could be accommodated in most rear seating positions, though one of the selected convertible seats could not be correctly installed in rearward facing mode using ISOfix anchorages.

DYNAMIC TEST (FRONT)	16.00 (out of 16)
DYNAMIC TEST (SIDE)	8.00 (out of 8)
RESTRAINT INSTALLATION	11.60 (out of 12)
ON-BOARD SAFETY FEATURES	7.00 (out of 13)

FRONTAL OFFSET (MPDB) (50km/h)



6 YEAR OLD

10 YEAR OLD

SIDE IMPACT (60km/h)



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES

FEATURE	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix	×	●	×	-	-
Integrated child restraints	×	×	×	-	-
Top tether anchorage	×	●	●	-	-
Airbag disabling	×	-	-	-	-

● FITTED TO TEST CAR AS STANDARD

● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION

× NOT AVAILABLE

- NOT APPLICABLE

GOOD ADEQUATE MARGINAL WEAK POOR

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.



CHILD RESTRAINT INSTALLATION*

CHILD RESTRAINT (CRS) TYPE^		FRONT ROW	2nd ROW			3rd ROW		
		PASSENGER	LEFT	CENTRE	RIGHT	LEFT	CENTRE	RIGHT
BELTED	TYPE A	Rearward facing capsule	×	●	●	●	-	-
	TYPE A	Rearward facing with harness - convertible (Model A)	×	●	●	●	-	-
	TYPE A	Rearward facing with harness - convertible (Model B)	×	●	●	●	-	-
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	●	●	-	-
	TYPE B	Forward facing with harness - convertible (Model B)	×	●	●	●	-	-
	TYPE E	Booster - 4 to 8 years	×	●	●	●	-	-
ISOFIX	TYPE F	Booster - 4 to 10 years	×	●	●	●	-	-
	TYPE A	Rearward facing capsule	×	●	-	●	-	-
	TYPE A	Rearward facing with harness - convertible (Model A)	×	●	-	●	-	-
	TYPE A	Rearward facing with harness - convertible (Model B)	×	●	-	●	-	-
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	-	●	-	-
	TYPE B	Forward facing with harness - convertible (Model B)	×	●	-	●	-	-

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

^ The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



69%

37.50 POINTS
OUT OF 54

The bonnet of the Land Rover Range Rover Sport provided predominantly GOOD or ADEQUATE protection to the head of a struck pedestrian, with MARGINAL to POOR results recorded on the stiff windscreen pillars and front of the bonnet. Protection of the pelvis was mixed, with areas of GOOD and POOR performance, while the bumper provided GOOD protection to pedestrians' legs.


The Range Rover Sport is fitted with an autonomous emergency braking (AEB) system capable of recognising and reacting to pedestrians. The AEB system showed mostly GOOD performance in pedestrian test scenarios, in both daylight and low light, as well as in cyclist test scenarios. The AEB system does not react to vulnerable road users in reverse, and hence AEB Backover tests were not conducted.

HEAD IMPACTS	14.07 (out of 24)
UPPER LEG IMPACTS	2.70 (out of 6)
LOWER LEG IMPACTS	6.00 (out of 6)
AEB - Pedestrian (forward)	6.82 (out of 7)
AEB - Pedestrian (backover)	NOT TESTED (out of 2)
AEB - Cyclist	7.91 (out of 9)

AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN, CYCLIST & BACKOVER)

SYSTEM NAME:	Emergency Braking
TYPE:	Autonomous emergency braking with forward collision warning
OPERATIONAL FROM:	5-80 km/h
DESCRIPTION:	System functions in the daytime and night

AUTONOMOUS EMERGENCY BRAKING - PEDESTRIAN														
TEST SCENARIO	AEB + FCW		FORWARD										BACKOVER	
	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road, vehicle turning		Adult walking behind reversing vehicle	Adult standing behind reversing vehicle
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	DAY
														
PERFORMANCE														
GOOD														

AUTONOMOUS EMERGENCY BRAKING - CYCLIST					
TEST SCENARIO	FCW	FORWARD			
	Cyclist travelling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist travelling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)
	DAY	DAY	DAY	DAY	DAY
					
PERFORMANCE					
GOOD					

PEDESTRIAN IMPACT TEST (40 KM/H)





84%

13.54 POINTS
OUT OF 16

The Land Rover Range Rover Sport is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the AEB (Car-to-Car) system showed GOOD performance with collisions avoided or mitigated in most test scenarios, including AEB Junction Assist where the test vehicle can autonomously brake to avoid crashes when turning across the path of an oncoming vehicle.

Tests of the lane support system functionality showed some GOOD performance in lane keep assist scenarios, and ADEQUATE performance in the more critical ELK scenarios.

A speed assistance system (SAS) is standard, informing the driver of the local speed limit and allowing the driver to set the speed accordingly.

A seatbelt reminder system is fitted to all seating positions, however occupancy detection is not available for rear seating positions. A driver drowsiness monitor system is fitted as standard.

OCCUPANT STATUS

- Seat belt reminders 1.00 (out of 2)

- Driver monitoring 1.00 (out of 1)

SPEED ASSISTANCE SYSTEMS 2.88 (out of 3)

LANE SUPPORT SYSTEMS 3.00 (out of 4)

AEB - Car-to-Car 3.66 (out of 4)

AEB - Junction Assist 2.00 (out of 2)

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Lane Keep Assist
OPERATIONAL FROM: 60-180 km/h

EMERGENCY LANE KEEPING (ELK)										
TEST SCENARIO	Oncoming vehicle	Overtaking vehicle (GVT at 72 km/h)		Overtaking vehicle (GVT at 80 km/h)		Road edge				Solid line
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL					
PERFORMANCE										
ADEQUATE										

LANE KEEP ASSIST (LKA)				
TEST SCENARIO	Dashed Line		Solid Line	
PERFORMANCE	GOOD			

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Lane Departure Warning (LDW)	[NOT TESTED]
	Blind Spot Monitoring (BSM)	PASS



84%

13.54 POINTS
OUT OF 16

AUTONOMOUS EMERGENCY BRAKING (CAR-TO-CAR)

SYSTEM NAME: Emergency Braking
 TYPE: Autonomous emergency braking with forward collision warning
 OPERATIONAL FROM: 5-80 km/h
 DESCRIPTION: Defaults ON for every journey

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Supplementary warning	PASS
	Restraint activation / dynamic retractors	[NOT FITTED]

AUTONOMOUS EMERGENCY BRAKING - CAR-TO-CAR									
TEST SCENARIO	Driving towards a stationary car					TEST VEHICLE SPEED	Turning across the path of oncoming vehicle		
	-50% OFFSET	-75% OFFSET	100% OFFSET	75% OFFSET	50% OFFSET		TARGET VEHICLE SPEED		
							30 KM/H	45 KM/H	55 KM/H
							10 KM/H		
AEB (10-50 km/h)									
FCW (30-80 km/h)									
PERFORMANCE	GOOD						GOOD		

AUTONOMOUS EMERGENCY BRAKING - CAR-TO-CAR									
TEST SCENARIO	Toward car braking lightly		Toward car braking heavily		Driving towards a slower moving car*				
	12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY					
AEB (10-50 km/h)									
FCW (50*-80 km/h)									
PERFORMANCE	GOOD								

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	✗
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●
Driver Monitoring	●	-	-

SPEED ASSISTANCE SYSTEMS (SAS)

SAS FEATURE	DESCRIPTION
Speed Limit Information Function	Camera & map
Speed Limitation Function	System advised

● PASS ● FAIL ✗ NOT AVAILABLE - NOT APPLICABLE

GOOD ADEQUATE MARGINAL WEAK POOR NOT TESTED

SAFETY FEATURES & TECHNOLOGIES

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Seat belts (three-point) for all forward-facing seats	●	●
Seat belt pre-tensioners (front)	●	●
Seat belt pre-tensioners (rear outboard) - 2nd row	●	●
Seat belt pre-tensioners (rear centre) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - frontal (driver)	●	●
Airbag - frontal (passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	✗	✗
Airbag - knee (driver)	✗	✗
Airbag - knee (front passenger)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	✗
Head restraints for all seats	●	●
Active bonnet	✗	✗
Adaptive cruise control (ACC)	●	●
Anti-lock braking system (ABS)	●	●
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - VRU	●	●
Autonomous emergency braking (AEB) - Backover	✗	✗
Autonomous emergency braking (AEB) - Junction Assist	●	●
Automatic emergency call (eCall)	●	●
Blind spot monitor (BSM)	●	●
Child presence alert	✗	✗
Electronic brakeforce distribution (EBD)	●	●
Event data recorder (EDR)	●	●
Electronic stability control (ESC)	●	●
Emergency brake assist (EBA)	●	●
Emergency stop signal (ESS)	●	●
Fatigue reminder	●	●
Fatigue monitor / detection	●	●
Forward collision warning (FCW)	●	●
ISOFix	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)	●	●
Pre-crash systems	✗	✗
Rear cross-traffic alert (RCTA)	●	●
Reversing collision avoidance (camera)	●	●
Roll stability system	●	●
Secondary / multi-collision brake	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	●	●
Speed assistance - speed sign recognition & warning	●	●
Smart (intelligent) key	✗	✗
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

TESTED MAKE / MODEL

Land Rover Range Rover Sport, Dynamic SE, LHD

TESTED VEHICLE(S) BUILT

2022

TESTED BODY TYPE

5 door SUV

TESTED VEHICLE ENGINE

3.0 litre petrol I6 PHEV

RATING PUBLISHED

November 2022

RATING UPDATED

n/a

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

~ Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.

● STANDARD ○ OPTIONAL ✗ NOT AVAILABLE
 ● NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS