



Legend

	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Safety valve
	Automatic rollover protection system		Gas strut / Preloaded spring		High strength zone		Zone requiring special attention		Fuel tank content Diesel
	Battery low voltage		Ultra capacitor, low voltage		Fuel tank		Gas tank		





1. Identification /recognition





2. Immobilization / stabilization / lifting

1. Block wheels and set parking brake



2. Operate the selector lever to "P" position. (Automatic transmission)




A: Rear Jacking Points
B: Front Jacking Points


3. Disable direct hazards / safety regulations.

1

PKE




RKE




2

9m (30ft) or more




Z12E11


3



Remove the negative wiring harness cap




Loose the nut



Remove the IBS sensor and disconnect with the negative terminal



Do not apply excessive force to nor strongly hit the airbag installation area.






4. Access to the occupants


Detail of high strength steel zones used in the vehicle

Sun-roof variant



1500 Mpa
980 Mpa
780 Mpa
590 Mpa

Non sun-roof variant





Tempered Glass Laminated Glass



Tempered Glass Laminated Glass




Steering Column Adjustment



Manual Seat

Power Seat



When operating the power seat, battery power is required.

5. Stored energy / liquids / gases / solids



12v



57 L



**6. In case of fire**

USE LARGE AMOUNTS OF WATER


**7. If your vehicle is submerged**

Work on the vehicle only after it has been removed from the water


8. Towing / transportation / storage

STORE AT SAFE DISTANCE FROM OTHER VEHICLES!

Front Tow Hook



Rear Tow Hook



Flat Bed Towing



Sling Type Towing (Front Wheel Lift)



Flat Towing



Rear Lift (Rear Wheel Lift)

9. Important additional information**10. Explanation of pictograms used**

	Smart key distance		Risk of flammability
	Caution		Risk of damaging human health
	Air-conditioning component		Risk of acute toxicity
	Bonnet		Risk of an explosion
	Use water to extinguish the fire		Risk of corrosive material / substances