




Volkswagen Golf

5-door model, as of 2020



Note: The illustration shows the maximum possible range of equipment.

	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Pedestrian protection active system
	Automatic rollover protection system		Gas strut / Preloaded spring		High strength zone		Zone requiring special attention		
	Battery low voltage		Ultra-capacitor, low voltage		Fuel tank		Gas tank		Safety valve
	Battery pack, high-voltage		High voltage power cable		High voltage device that disconnects high voltage		Fuse box, disabling high-voltage system		High voltage ultra-capacitor



Volkswagen Golf

5-door model, as of 2020

1. Identification / recognition

Logo




2. Immobilisation / stabilisation / lifting

Immobilize the vehicle

Apply the parking brake
With a manual gearbox: move the gear selector lever to the neutral position.



Lifting points



 Suitable lifting points

Turn off the ignition



Press the "START-STOP" button in the center console



Instead of a radio key, it is also possible to use a key card or smartphone app.


3. Disable direct hazards / safety regulations

Disconnect the 12-volt battery



In the engine compartment
Disconnect the earth connection (-)

Disconnect the 48-volt battery




In the event of an accident in which the airbags are deployed, the 48-volt electrical system will be automatically deactivated.



Volkswagen Golf

5-door model, as of 2020


4. Access to the occupants



Glass types:

- ① Laminated safety glass
- ② Toughened safety glass

5. Stored energy / liquids / gases / solids



petrol or diesel
max. 55 l



12 V



LI ION




48 V
optional

6. In case of fire



Lithium-ion batteries can become damaged or improper
Use promptly or with a delay to ignite or after the Ignite fire fighting again!
Wear appropriate protective equipment!





7. In case of submersion

8. Towing / transportation / storage



Lithium-ion batteries can become damaged or improper Use promptly or with a delay to
ignite or after the Ignite fire fighting again!
Wear appropriate protective equipment!



Do not tow a vehicle that has been involved in an accident
on its drive axles.


9. Important additional information



Volkswagen Golf

5-door model, as of 2020


10. Explanation of pictograms used

 Flammable	 Corrosive	 Hazardous to the human health	 Environmental hazard	 Petrol vehicle	 Diesel vehicle	 Caution, danger	 Use water to extinguish the fire
 Remove smart key	 Use thermal Infrared camera	 Release the bonnet					



Volkswagen Golf

Stationwagon, as of 2020



Note: The illustration shows the maximum possible range of equipment.

	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Pedestrian protection active system
	Automatic rollover protection system		Gas strut / Preloaded spring		High strength zone		Zone requiring special attention		
	Battery low voltage		Ultra-capacitor, low voltage		Fuel tank		Gas tank		Safety valve
	Battery pack, high-voltage		High voltage power cable		High voltage device that disconnects high voltage		Fuse box, disabling high-voltage system		High voltage ultra-capacitor



Volkswagen Golf

Stationwagon, as of 2020

1. Identification / recognition

Logo




2. Immobilisation / stabilisation / lifting

Immobilize the vehicle

Apply the parking brake
With a manual gearbox: move the gear selector lever to the neutral position.



Lifting points



 Suitable lifting points

Turn off the ignition



Press the "START-STOP" button in the center console



Instead of a radio key, it is also possible to use a key card or smartphone app.


3. Disable direct hazards / safety regulations

Disconnect the 12-volt battery



In the engine compartment
Disconnect the earth connection (-)

Disconnect the 48-volt battery




In the event of an accident in which the airbags are deployed, the 48-volt electrical system will be automatically deactivated.



Volkswagen Golf

Stationwagon, as of 2020


4. Access to the occupants



Glass types:

- ① Laminated safety glass
- ② Toughened safety glass

5. Stored energy / liquids / gases / solids



petrol or diesel
max. 55 l



12 V



LI ION




48 V
optional

6. In case of fire



Lithium-ion batteries can become damaged or improper
Use promptly or with a delay to ignite or after the Ignite fire fighting again!
Wear appropriate protective equipment!





7. In case of submersion

8. Towing / transportation / storage



Lithium-ion batteries can become damaged or improper Use promptly or with a delay to
ignite or after the Ignite fire fighting again!
Wear appropriate protective equipment!



Do not tow a vehicle that has been involved in an accident
on its drive axles.

9. Important additional information



Volkswagen **Golf**

Stationwagon, as of 2020


10. Explanation of pictograms used

 Flammable	 Corrosive	 Hazardous to the human health	 Environmental hazard	 Petrol vehicle	 Diesel vehicle	 Caution, danger	 Use water to extinguish the fire
 Remove smart key	 Use thermal Infrared camera	 Release the bonnet					



Volkswagen Golf GTE, eHYBRID

5-door model, as of 2020



400 V
LI ION

Note: The illustration shows the maximum possible range of equipment.

	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Pedestrian protection active system
	Automatic rollover protection system		Gas strut / Preloaded spring		High strength zone		Zone requiring special attention		
	Battery low voltage		Ultra-capacitor, low voltage		Fuel tank		Gas tank		Safety valve
	Battery pack, high-voltage		High voltage power cable		High voltage device that disconnects high voltage		Fuse box, disabling high-voltage system		High voltage ultra-capacitor
	Low voltage device that disconnects high voltage		Fuse box disabling high voltage		High voltage component		Fuel tank content gasoline/ethanol		



Volkswagen Golf GTE, eHYBRID

5-door model, as of 2020

1. Identification / recognition



The electric motor is silent. The indicator on the instrument cluster (power meter) indicates whether the electric drive is switched "OFF" or "READY" for operation.

Logo



Charging connection



Orange cable




2. Immobilization / stabilization / lifting

Immobilize the vehicle

Apply the parking brake



Lifting points



 suitable lifting points

 High-voltage battery

Turn off the ignition (Powermeter "OFF")



Press the START-STOP button without depressing the brake pedal



A key card or a smartphone app can also be used instead of a remote control key.

3. Disable direct hazards / safety regulations



Do not touch, cut or open damaged high-voltage components, lines and high-voltage battery! Wear appropriate protective equipment!

For all other cases, the high-voltage system can be deactivated as follows:



Option 1: From the engine compartment






Volkswagen Golf GTE, eHYBRID

5-door model, as of 2020




Option 2: From the passenger compartment


left hand drive



right hand drive




Disconnect the 12-volt battery




Disconnect the negative pole from the body contact point.

Disconnect from the charging station (emergency release)



1. Open the front hood.
2. Locate the loop on the left side of the vehicle.
3. Pull the loop.

4. Access to the occupants



Glas types:

- ① Laminated safety glass
- ② Toughened safety glass

5. Stored energy / liquids / gases / solids




LI ION



400 V



If coolant escapes from the battery cooling system, there is a risk of a thermal reaction in the high-voltage battery.
Monitor the temperature of the high-voltage battery!



40 l



12 V



Volkswagen Golf GTE, eHYBRID

5-door model, as of 2020

6. In case of fire



Lithium-ion batteries can become damaged or improper
Use promptly or with a delay to ignite or after the Ignite fire fighting again!
Wear appropriate protective equipment!



7. In case of submersion

After rescuing the vehicle from the water, deactivate the high-voltage system (see Chapter 3) and allow the water to drain. Wear appropriate protective equipment!

8. Towing / transportation / storage



Lithium-ion batteries can self-ignite, or re-ignite after a fire has been extinguished.
Wear appropriate protective equipment!



If the vehicle has been involved in an accident or if the HV battery is damaged or unstable: Deactivate the high-voltage system (see Section 3). Park the vehicle at a safe distance, at least 5 m, from buildings and other vehicles (quarantine area).



Do not tow a vehicle that has been involved in an accident on its drive axles.

9. Important additional information

10. Explanation of pictograms used

Flammable	Explosive	Corrosives	Hazardous to the human health	Environmental hazard	Petrol Hybrid Electric vehicle	High voltage warning	Caution, danger
Use water to extinguish the fire	Dangerous voltage	Remove smart key	Use thermal Infrared camera	Release the bonnet	Unlock luggage compartment		