




CHERY TIGGO 7 PRO

5 door SUV
from 2023



	Airbag		Stored gas inflator		Seat belt pretensioner		SRS control unit		Pedestrian protection active system
	Automatic rollover protection system		Gas strut/preloaded spring		High strength zone		Zone requiring special attention		Safety valve
	Low voltage battery		Ultra-capacitor, low-voltage		Fuel tank		Gas tank		High voltage component
	Battery pack, high-voltage		High voltage power cable		High voltage device that disconnects high voltage		Fuse box disabling high voltage		High voltage disconnect (cutting solution)
	Disconnect high voltage device		Fuel tank content gasoline / ethanol						
This sheet is applicable for CHERY TIGGO 7 PRO front-wheel drive and 4WD vehicles				ID No.		Version date		Page	
				CL4BFR5EA_002		12/2023		1 of 4	



CHERY TIGGO 7 PRO

5 door SUV
from 2023



1. Identification / recognition

Logo



2. Immobilisation / stabilisation / lifting

■ Completely immobilise the vehicle




1st: Press button "P"(park)



2nd: Pull the electric parking brake


■ Stabilisation-lifting point

Crib at four points directly under the front and rear pillars.



□ Suitable lifting points

3. Disable direct hazards / safety regulations



1. Press start and stop button if the vehicle is fitted with a "keyless entry" system.
2. Remove the smart key to turn the vehicle on and off.
3. Disconnect the 12V on-board electrical system battery in the engine compartment using a suitable tool.
Switch off the vehicle electrical system.
Disconnect first the negative terminal (-) then the positive terminal (+) on the on-board battery.

This sheet is applicable for CHERY TIGGO 7
PRO front-wheel drive and 4WD vehicles

ID No.

CL4BFR5EA_002

Version date

12/2023

Page

2 of 4



CHERY TIGGO 7 PRO

5 door SUV
from 2023



4. Access to the occupants

■ Window Glass

Glass types:


1st - Laminated glass



2nd - Single-pane safety glass



■ High strength body areas



■ Seat adjustment





POWER

■ Door latches/command




MANUAL

■ Steering column adjustment



Steering column can be adjusted in four directions

5. Stored energy / liquids / gases / solids



12 V



51 L



0.55 kg

6. In case of fire



Use large amount of water

Use appropriate protective equipment

This sheet is applicable for CHERY TIGGO 7
PRO front-wheel drive and 4WD vehicles

ID No.

CL4BFR5EA_002

Version date

12/2023

Page

3 of 4

	CHERY TIGGO 7 PRO 5 door SUV from 2023	
---	---	---

7. In case of submersion

After recovering the vehicle from the water, drain the water.

Use appropriate protective equipment!

8. Towing / transportation / storage

OK:



1: For front-wheel drive vehicles; 2/3/4: For front-wheel drive and 4WD vehicles:


Not OK:




Location Front Hook



Location Rear Hook



Location Tools



9. Explanation of pictograms used

	Vehicle on fuel of liquid group 2		Flammable		Environmental hazard		Hazardous to the human health
	Corrosives		Use water to extinguish the fire		Explosive		Air-conditioning component
	Steering wheel, tilt control		General warning sign		Lifting point; central support		Seat adjustment, seat back recline
	Remove smart key		Seat adjustment, longitudinal		Seat height adjustment		

This sheet is applicable for CHERY TIGGO 7 PRO front-wheel drive and 4WD vehicles

ID No.

CL4BFR5EA_002

Version date

12/2023

Page

4 of 4